



TR Eczacıbaşı Yapı Gereçleri San. Ve Tic. A. Ş. VİTRA Armatür Grubu 4 Eylül Mah. İ. İnönü Cd. Düzdağ Yolu 1 No: 4 11300 Bozüyük - BİLECİK

- TİP 2 BESLEME SİSTEMLİ, GÖRÜLEBİLİR BİRLEŞİK GÖVDELİ ÇOK DELİKLİ, DÜŞEY YÜZEYE MONTAJ İÇİN, YÖN DEĞİŞTİRME TERTİBATLI, SABİT ÇIKIŞ UÇLU, DUŞ ÇIKIŞLI, SINIFLANDIRILMAMIŞ (AKUSTİK VE DEBİ), SU TASARRUF ÖZELLİĞİ OLMAYAN, ANMA BOYUTU ½" OLAN, BANYO / DUŞ BATARYASI
- TİP 2 BESLEME SİSTEMLİ, GÖRÜLEBİLİR BİRLEŞİK GÖVDELİ ÇOK DELİKLİ, DÜŞEY YÜZEYE MONTAJ İÇİN, YÖN DEĞİŞTİRME TERTİBATLI, SABİT ÇIKIŞ UÇLU SINIFLANDIRILMAMIŞ (AKUSTİK VE DEBİ), SU TASARRUF ÖZELLİĞİ OLMAYAN, ANMA BOYUTU ½" OLAN, DUŞ BATARYASI
- TİP 2 BESLEME SİSTEMLİ, GÖRÜLEBİLİR BİRLEŞİK GÖVDELİ ÇOK DELİKLİ, DÜŞEY YÜZEYE MONTAJ İÇİN, YÖN DEĞİŞTİRME TERTİBATLI, SABİT ÇIKIŞ UÇLU SINIFLANDIRILMAMIŞ (AKUSTİK VE DEBİ), SU TASARRUF ÖZELLİĞİ OLMAYAN, ANMA BOYUTU ½" OLAN MUSLUK
- TİP 2 BESLEME SİSTEMLİ, GÖRÜLEBİLİR BİRLEŞİK GÖVDELİ ÇOK DELİKLİ, YATAY YÜZEYE MONTAJ İÇİN, YÖN DEĞİŞTİRME TERTİBATLI, HAREKETLİ ÇIKIŞ UÇLU SINIFLANDIRILMAMIŞ (AKUSTİK VE DEBİ), SU TASARRUF ÖZELLİĞİ OLMAYAN, ANMA BOYUTU ½" OLAN EVİYE BATARYASI
- TİP 2 BESLEME SİSTEMLİ, GÖRÜLEBİLİR BİRLEŞİK GÖVDELİ ÇOK DELİKLİ, YATAY YÜZEYE MONTAJ İÇİN, YÖN DEĞİŞTİRME TERTİBATLI, SABİT ÇIKIŞ UÇLU SINIFLANDIRILMAMIŞ (AKUSTİK VE DEBİ), SU TASARRUF ÖZELLİĞİ OLMAYAN, ANMA BOYUTU ½" OLAN LAVABO BATARYASI
- TİP 2 BESLEME SİSTEMLİ, GİZLENMİŞ GÖVDELİ ÇOK DELİKLİ, YATAY YÜZEYE MONTAJ İÇİN, YÖN DEĞİŞTİRME TERTİBATLI, SABİT ÇIKIŞ UÇLU, SINIFLANDIRILMAMIŞ (AKUSTİK VE DEBİ), SU TASARRUF ÖZELLİĞİ OLMAYAN, ANMA BOYUTU ½" OLAN LAVABO BATARYASI
- TİP 2 BESLEME SİSTEMLİ, GİZLENMİŞ GÖVDELİ ÇOK DELİKLİ, DÜŞEY YÜZEYE MONTAJ İÇİN, YÖN DEĞİŞTİRME TERTİBATLI, SABİT ÇIKIŞ UÇLU, SINIFLANDIRILMAMIŞ (AKUSTİK VE DEBİ), SU TASARRUF ÖZELLİĞİ OLMAYAN, ANMA BOYUTU ½" OLAN LAVABO BATARYASI

EN Eczacıbaşı Yapı Gereçleri San. Ve Tic. A. Ş. VİTRA Armature Group (Eczacıbaşı Constructional Materials Ind. and Tra. INC-VİTRA Faucets Group)
4 Eylül Mah. İ. İnönü Cd. Düzdağ Yolu 1 No: 4 11300 Bozüyük - BİLECİK

- the bathroom/shower mixer with type 2 feeding system, the visible composite body to mount on the horizontal surface with the several holes, with the direction changing installation, with the fixed outlet end, the shower outlet, not classified (acoustics and flow), without the feature of water saving, with the nominal size of ½",
- the shower mixer with type 2 feeding system, the visible composite body to mount on the horizontal surface with the several holes, with the direction changing installation, with the fixed outlet end, not classified (acoustics and flow), without the feature of water saving, with the nominal size of ½",
- Tap with type 2 feeding system, the visible composite body to mount on the horizontal surface with a single hole, without the direction changing installation, with the fixed outlet end, not classified (acoustics and flow), without the feature of water saving, with nominal size of ½",
- the sink mixer with type 2 feeding system, the visible composite body to mount on the horizontal surface with the several holes, without the direction changing installation, with the fixed outlet end, not classified (acoustics and flow), without the feature of water saving, with nominal size of ½",
- the lavatory mixer with type 2 feeding system, the visible composite body to mount on the horizontal surface with the several holes, without the direction changing installation, with the fixed outlet end, not classified (acoustics and flow), without the feature of water saving, with nominal size of ½",
- the lavatory mixer with type 2 feeding system, the hidden body to mount on the horizontal surface with the several holes, without the direction changing installation, with the fixed outlet end, not classified (Acoustics and flow), without the feature of water saving, with nominal size of ½",
- the lavatory mixer with type 2 feeding system, the hidden body to mount on the horizontal surface with the several holes, without the direction changing installation, with the fixed outlet end, not classified (Acoustics and flow), without the feature of water saving, with nominal size of ½"











