





STANDARD CLIP SYSTEM





CLIP SYSTEM

| | (kg/mt) | Jxx (cm ⁴) | Jyy (cm ⁴) |
|--------------|---------|------------------------|------------------------|
| T 328-(1.8) | 0.802 | 8.89 | 2.36 |
| T 328-(2.0) | 0.935 | 14.50 | 6.59 |
| T 2188-(2.0) | 0.780 | 14.62 | 1.07 |
| T 378-(3.0) | 1.0 | 9.13 | 13.30 |




CLIP SYSTEM

| | (kg/m ³) | J _{xx} (cm ⁴) | J _{yy} (cm ⁴) |
|---------------|----------------------|------------------------------------|------------------------------------|
| T 330-(2.0) | 1.000 | 23.85 | 6.77 |
| T 330-(3.0) | 1.130 | 35.86 | 10.46 |
| T 330-A-(3.0) | 1.125 | 23.61 | 8.89 |
| T 2500-(2.0) | 0.640 | - | - |




CLIP SYSTEM


| | (kg/mt) | J _{xx} (cm ⁴) | J _{yy} (cm ⁴) |
|--------------|---------|------------------------------------|------------------------------------|
| T 331-(1.5) | 0.390 | 3.92 | 0.54 |
| T 331-(1.8) | 0.465 | 4.65 | 0.69 |
| T 331-(2) | 0.515 | 5.15 | 0.82 |
| T 331A-(3.0) | 0.650 | 0.76 | 7.15 |
| T 329 | 0.575 | 5.15 | |
| T 2167 | 0.940 | 0.76 | |




T-331-(1.5)




T-331-(1.8)




T-331-(2.0)



T 331A-(3.0)




T 329-(1.8)




T 2167-(1.8)

CLIP SYSTEM

| | (kg/mt) | Jxx (cm ⁴) | Jyy (cm ⁴) |
|-------------|---------|------------------------|------------------------|
| T 729-(2.0) | 1.550 | 66.55 | 13.90 |
| T 730-(2.0) | 1.850 | 70.24 | 17.97 |




T 730-(2.0)




T 729-(2.0)

CLIP SYSTEM

| | (kg/mt) | Jxx (cm ⁴) | Jyy (cm ⁴) |
|----------|---------|------------------------|------------------------|
| T-2222 | 1.590 | 37.82 | 32.92 |
| T-2222-A | 1.585 | 37.82 | 32.92 |





T-2222



T-2222-A


CLIP SYSTEM

| | (kg/mt) | Jxx (cm4) | Jyy (cm4) |
|--------|---------|-----------|-----------|
| T-2832 | 1.225 | 61.96 | 1.59 |
| T-2833 | 1.510 | 60.54 | 15.00 |









CLIP SYSTEM

| | (kg/m) | Jxx (cm ⁴) | Jyy (cm ⁴) |
|--------|--------|------------------------|------------------------|
| T-2026 | 1.525 | 69.25 | 16.87 |




CLIP SYSTEM

| | (kg/m) | J _{xx} (cm ⁴) | J _{yy} (cm ⁴) |
|--------------|--------|------------------------------------|------------------------------------|
| T 2168-(1.6) | 0.7 | 6.90 | 6.91 |
| T 2169-(2.0) | 1.010 | 9.65 | 9.38 |
| T 2170-(2.0) | 0.925 | 9.17 | 8.58 |
| T 2165 | 0.280 | | |
| T 369 | 0.310 | | |
| T 334 | 0.290 | | |




CLIP SYSTEM

| | (kg/mt) | Jxx (cm4) | Jyy (cm4) |
|--------------|---------|-----------|-----------|
| T 1076-(2.0) | 0.245 | | |





T-1076-(2.0)

Aluminum Joint




Stainless Steel First Clip




Stainless Steel Clip

CLIP SYSTEM



CLIP SYSTEM



CLIP SYSTEM

