








# **NON-INSULATED SLIDING SERIES**

# NON-INSULATED SLIDING SERIES


## SYSTEM PROFILES



A -A Detayı




B-B DETAIL




# NON-INSULATED SLIDING SERIES


## SYSTEM PROFILES




**SZS67 T 01** - 0.660 kg/mt




**SZS67 T 02** - 0.650 kg/mt




**SZS67 T 07** - 0.728 kg/mt




**SZS67 T 08** - 0.560 kg/mt




**SZS67 T 04** - 0.290 kg/mt



**SZS67 T 03** - 0.330 kg/mt



**SZS67 T 05** - 0.177 kg/mt




**SZS67 T 06** - 0.170 kg/mt


Profile Code	Corner PRL Code	cutting width, mm	Accessory Code
SZS67 T 01	L 523	64,0	523 L 701
SZS67 T 02	L 523	26,0	523 L 702
SZS67 T 07	L 502	64,0	502 L 701
SZS67 T 08	T55	26,0	T55-26,0

# NON-INSULATED SLIDING SERIES


## GLAZING BEADS AND ACCESSORIES



**T44** - 0.170 kg/mt




**T33** - 0.204 kg/mt




Drawing	Code	Place Of Application
	<b>SZ-N9 Outer Glass Gasket</b> SZ-A 26570009	
	<b>Inner Glass Gasket</b> SZ-A 26520002- 2 mm SZ-A 26520003- 3 mm	
	<b>Trigger Handle</b> SZ-A 09106101- eloksal SZ-A 09106102- beyaz SZ-A 09106103- pres SZ-A 09106105- siyah SZ-A 09106106- krem SZ-A 09106107- gn SZ-A 09106109- renkli	
	<b>Tuba Ball Bearing</b> SZ-A 34001201	

# NON-INSULATED SLIDING SERIES


## CONNECTION PROFILES



**L523** - 0.810 kg/mt





**T55** - 0.423 kg/mt





**L502** - 2.190 kg/mt

## CONNECTION CUT MEASUREMENTS

Profile Code	 Corner PR. Code	CUTTING MEAS. mm	 Accessory Code
<b>SZS67 T 01</b>	<b>L 523</b>	64,0	<b>522 L 701</b>
<b>SZS67 T 02</b>	<b>L 523</b>	26,0	<b>523 L 702</b>
<b>SZS67 T 07</b>	<b>L 502</b>	64,0	<b>502 L 701</b>
<b>SZS67 T 08</b>	<b>L 523</b>	26,0	<b>T55-26,0</b>


## SYSTEM INSTALLATION DETAIL






# NON-INSULATED SLIDING SERIES




## SYSTEM PROFILES



**SZS100 T 01** - 1.260 kg/mt




**SZS100 T 02** - 1.320 kg/mt

Profile Code	 Corner PR. Code	 CUTTING MEAS. mm	 Accessory Code
SZS100 T 01	L 522	96,0	522 L 701
SZS100 T 02	L 515	41,0	515 L 701




# NON-INSULATED SLIDING SERIES


## SYSTEM PROFILES




**SZS100 T 03** - 0.390 kg/mt




**SZS100 T 04** - 0.435 kg/mt




**SZS100 T 05** - 0.313 kg/mt



**SZS100 T 06** - 0.270 kg/mt




**SZS100 T 07** - 0.192 kg/mt





**SZS100 T 08** - 0.497 kg/mt

# NON-INSULATED SLIDING SERIES


## GLAZING BEADS AND ACCESSORIES



**T 33** - 0.210 kg/mt



**T 13** - 0.213 kg/mt



### Drawing


### Code

### Place Of Application


	<b>SZ-N1 Outer Glass Gasket</b> SZA 26570001	
	<b>Inner Glass Gasket</b> SZA 26520002- 2 mm SZA 26520003- 3 mm	
	<b>Trigger Handle</b> SZA 09106101- eloksal SZA 09106102- beyaz SZA 09106103- pres SZA 09106105- siyah SZA 09106106- krem SZA 09106107- gn SZA 09106109- renkli	
	<b>Tuba Ball Bearing</b> SZA 34001201	

# NON-INSULATED SLIDING SERIES

## Connection Profiles





**L515** - 4.300 kg/mt




**L522** - 3.650 kg/mt

## Connection Cut Measurements


Profile Code	 Corner PR. Code	CUTTING MEAS. mm	 Accessory Code
<b>SZS100 T 01</b>	<b>L 522</b>	96,0	<b>522 L 701</b>
<b>SZS100 T 02</b>	<b>L 515</b>	41,0	<b>515 L 701</b>


# NON-INSULATED SLIDING SERIES


## SYSTEM INSTALLATION DETAIL



### A -A DETAIL









# NON-INSULATED SLIDING SERIES

## SYSTEM INSTALLATION DETAIL





C-C DETAIL



# NON-INSULATED SLIDING SERIES

## SYSTEM INSTALLATION DETAIL





# NON-INSULATED SLIDING SERIES

## SYSTEM INSTALLATION DETAIL

F-F DETAIL

