


The background of the page features a light grey, textured surface that resembles torn or layered paper. A solid, medium-grey horizontal band spans the width of the page, positioned in the middle. The text 'TW64 SERIES' is printed in a bold, black, sans-serif font, centered within this grey band.


TW64 SERIES

TW64 SERIES



FRAME PROFILES



TW64 J 01 - 1.295 kg/mt




TW64 J 02 - 1.495 kg/mt


Profile Code	 Corner PR. Code	CUTTING MEAS. mm	 Accessory Code
TW64 J 01	L 501	12,0	501 L 101
	L 501	21,2	501 L 102
TW64 J 02	L 501	11,2	501 L 103
	L 501	20,2	501 L 104

TW64 SERIES



FRAME PROFILES



TW64 J 07 - 1.713 kg/mt




TW64 J 08 - 1.435 kg/mt



Profile Code	 Corner PR. Code	CUTTING MEAS. mm	 Accessory Code
TW64 J 07	L 503	11,2	503 L 101
	L 503	20,4	503 L 109
TW64 J 08	L 503	12,0	503 L 102
	L 503	21,3	503 L 103

TW64 SERIES

FRAME PROFILES




TW64 J 06 - 2.255 kg/mt


Profile Code	 Corner PR. Code	CUTTING MEAS. mm	 Accessory Code
TW64 J 06	L 507	11,2	507 L 105
	L 507	20,4	507 L 101

TW64 SERIES




INTERMEDITE PROFILES



TW64 T 01 - 1.715 kg/mt




TW64 T 08 - 1.646 kg/mt


Profile Code	 Corner PR. Code	 CUTTING MEAS. mm	 Accessory Code
TW64 T 08	L 501	11,2	501 L 103
	L 501	20,2	501 L 104

TW64 SERIES

INTERMEDIATE PROFILES



TW64 T 07 - 1.957 kg/mt




TW64 T 09 - 1.874 kg/mt


Profile Code	Corner PR. Code	CUTTING MEAS. mm	Accessory Code
TW64 T 09	L 503	11,2	503 L 101
	L 503	20,4	503 L 109

TW64 SERIES

INTERMEDIATE PROFILES





TW64 T 10 - 1.670 kg/mt




TW64 T 06 - 1.590 kg/mt


Profile Code	Corner PR. Code	CUTTING MEAS. mm	Accessory Code
TW64 T 06	L 503	12,2	503 L 102
	L 503	21,4	503 L 103

Profile Code	 Corner PR. Code	CUTTING MEAS. mm	 Accessory Code
TW64 J 05	L 507	11,2	507 L 105
	L 507	20,4	507 L 101



VENT PROFILES



TW64 Z 01 - 1.584 kg/mt




TW64 Z 02 - 1.612 kg/mt


Profile Code	 Corner PR. Code	CUTTING MEAS. mm	 Accessory Code
TW64 Z 01	L 501	26,3	501 L 105
	L 501	4,5	501 L 106
TW64 Z 02	L 503	5,0	503 L 107
	L 503	27,3	503 L 108

TW64 SERIES



VENT PROFILES




TW64 Z 09 - 1.850 kg/mt




TW64 Z 10 - 1.849 kg/mt

Profile Code	 Corner PR Code	CUTTING MEAS. mm	 Accessory Code
TW64 Z 09	L 503	4,0	503 L 104
	L 503	26,0	503 L 105
TW64 Z 10	L 503	4,0	503 L 104
	L 503	27,0	503 L 106



VENT PROFILES



TW64 Z 05 - 2.140 kg/mt




TW64 Z 06 - 2.305 kg/mt



Profile Code	 Corner PR. Code	CUTTING MEAS. mm	 Accessory Code
TW64 Z 05	L 507	4,5	507 L 102
	L 507	20,0	507 L 103
TW64 Z 06	L 507	4,5	507 L 102
	L 507	23,0	507 L 104

TW64 SERIES

VENT PROFILES




TW64 Z 07 - 1.709 kg/mt


Profile Code	 Corner PR. Code	CUTTING MEAS. (mm)	 Accessory Code
TW64 Z 07	L 504	28,4	504 L 102
	L 504	14,0	504 L 104

TW64 SERIES

KICK PLATE PROFILES





TW64 Y 01 - 2.070 kg/mt




TW55 Y 02 - 2.890 kg/mt

TW64 SERIES



ADAPTER PROFILES





ÖLÇEK 1/2



ÖLÇEK 1/2


















ÖLÇEK 1/2




ÖLÇEK 1/2


GLAZING BEAD PROFILES




CONNECTION PROFILES




L501 - 4.509 kg/mt



L505 - 2.886 kg/mt




L502 - 2.214 kg/mt




L503 - 4.921 kg/mt


CONNECTION PROFILES




L507 - 6.726 kg/mt



L504 - 3.622 kg/mt





L515 - 4.300 kg/mt



T505 - 0.818 kg/mt



















TW64 SERIES

CONNECTION PROFILES CUT MEASUREMENTS

Profile Code	 Corner PR. Code	CUTTING MEAS. mm	 Accessory Code
TW64 J 01	L 501	12,0	501 L 101
	L 501	21,2	501 L 102
TW64 J 02	L 501	11,2	501 L 103
	L 501	20,2	501 L 104
TW64 J 06	L 507	11,2	507 L 105
	L 507	20,4	507 L 101
TW64 J 07	L 503	11,2	503 L 101
	L 503	20,4	503 L 108
TW64 J 08	L 503	12,0	503 L 102
	L 503	21,3	503 L 103
TW64 Z 01	L 501	26,3	501 L 105
	L 501	4,5	501 L 106
TW64 Z 02	L 503	5,0	503 L 107
	L 503	27,3	503 L 108
TW64 Z 05	L 507	4,5	507 L 102
	L 507	20,0	507 L 103
TW64 Z 06	L 507	4,5	507 L 102
	L 507	23,0	507 L 104
TW64 Z 07	L 504	28,4	504 L 102
	L 504	14,0	504 L 104
TW64 Z 09	L 503	4,0	503 L 104
	L 503	26,0	503 L 105
TW64 Z 10	L 503	4,0	503 L 104
	L 503	27,0	503 L 106
TW64 T 05	L 507	11,2	507 L 105
	L 507	20,4	507 L 101
TW64 T 06	L 503	12,2	503 L 102
	L 503	21,4	503 L 103
TW64 T 08	L 501	11,2	501 L 103
	L 501	20,2	501 L 104
TW64 T 09	L 503	11,2	503 L 101
	L 503	20,4	503 L 109











TW64 SERIES

SYSTEM ACCESSORIES

Drawing	Code	Place Of Application
	SZ Heat Hinge SZA 10301001	
	Axial Handle SZA 09108001	
	Adjusted Counter SZA 52012001	
	Rod Pin SZA 16007010	
	Mortise Lock 30 mm. SZA 20111230	
	Mortise Lock With Roller 30 mm. SZA 20112230	
	Striker Mortise Lock SZA 12301001	
	Striker Roller Lock SZA 12302001	
	Cylinder SZA 18102090	




TW64 SERIES


SYSTEM ACCESSORIES

Drawing	Code	Place Of Application
	SZ-N1 Outer GLass Gasket SZA 26570001	
	SZ-N2 Wing Gasket SZA 26570002	
	Inner Glass Gasket SZA 26520001- 1 mm SZA 26520002- 2 mm SZA 26520003- 3 mm SZA 26520004- 4 mm SZA 26520005- 5 mm SZA 26520006- 6 mm	
	Drain Cover SZA 16009001	
	SZ-N10 Central Gasket SZA 26570010	

TW64 SERIES

SYSTEM INSTALLATION DETAILS







TW64 SERIES

SYSTEM INSTALLATION DETAILS



F DETAIL



TW64 SERIES



SYSTEM INSTALLATION DETAILS

E DETAIL



SYSTEM INSTALLATION DETAILS


G DETAIL




TW64 SERIES


SYSTEM INSTALLATION DETAILS

H DETAIL



J DETAIL







TW64 SERIES

SYSTEM INSTALLATION DETAILS

L DETAIL




M DETAIL



TW64 SERIES

SYSTEM INSTALLATION DETAILS


N DETAIL



TW64 SERIES

SYSTEM INSTALLATION DETAILS

O' DETAIL




TW64 SERIES


SYSTEM INSTALLATION DETAILS

Inward Opening

P DETAIL



TW64 SERIES



TW64 SERIES

Outward Opening

S DETAIL

