



COTTO




	(kg/mt)	Jxx (cm ⁴)	Jyy (cm ⁴)
T 371-(1.8)	0.480	4.44	1.87
T 371-(2.0)	0.540	4.91	2.08
T 350-(2.3)	0.620	5.59	2.39
T 350-(3.0)	0.8	7.14	3.13
T 327-(2.0)	0.585	5.01	3.61
T 327-(3.0)	0.88	7.74	5.24




T 371-(1.8)




T 371-(2.0)




T 350-(2.3)



T 350-(3.0)



T 327-(2.0)




T 327-(3.0)




COTTO


	(kg/mt)	Jxx (cm4)	Jyy (cm4)
T 401-(1.2)	0.17	0.36	0.16
T 404-(3.0)	0.562	4.77	0.41
T 400-(1.2)	0.2	0.27	0.63
T 405-(2.3)	0.485	2.81	1.25
T 406-(2.0)	0.67	16.95	1.46




T 404-(3.0)




T 401(1.2)



T 400-(1.2)




T 406-(2.0)




T 405(2.3)


	(kg/mt)	Jxx (cm4)	Jyy (cm4)
T 351-(1.8)	0.365	3.53	0.63
T 351-(2.3)	0.46	4.73	1.09
T 372-(2.0)	0.405	3.90	0.70
T 504-(2.0)	0.430		
T 517-(2.0)	0.485		
T 517-(3.0)	0.715		




T 351-(1.8)




T 372-(2.0)




T 351-(2.3)



T 504-(2.0)



T 517-(2.0)



T 517-(3.0)

	(kg/mt)	PR. KODU	AĞIRLIK (kg/mt)
T 1166	0.640	T 1165	0.345
T 1163	0.500	T 790	0.860

